

NIKKON®

5005 GARDEN LIGHT



SOLAR SERIES



AC SERIES

LUMINAIRE SPECIFICATIONS

- **Power** 25W (Solar Series)
30W (Solar Series)
100W (AC Series)
- **Lumen** 25W - 5000lm
30W - 6000lm
100W - 17000lm
- **Fitting Material** Die-Cast Aluminium
- **Fitting Color** Black
- **Ingress Protection** IP66
- **Impact Protection** IK08
- **Voltage** 12.8V (Solar Series)
220~240 Vac 50/60 Hz (AC Series)
- **Operating Temperature** -20 ~ +50°C (Solar Series)
-40 ~ +45°C (AC Series)
- **Beam Angle** Type I, II, III
- **Installation** Ø60 mm Pole, Post
Top with -20° to 20°
Universal Adjustable

APPLICATION

- Pathways, Parks, Foot Paths, Residential Areas, Road Lighting, Car Parks & Access Ways

LED MODULE SPECIFICATIONS

- **LED Chips** 2835
- **Color Temperature** 3000K ~ 6500K
(Other CCT Upon Request)
- **Color Rendering Index** RA >70

SOLAR SYSTEM SPECIFICATIONS

- **Solar Panel Type** Monocrystalline Silicon
- **Solar Panel Capacity** 18V 40W
- **Backup Time** 1 - 2 Day Autonomy
- **Charge Controller** MPPT Charging
- **Battery** Lithium-Iron Phosphate
12.8V 17Ah (217.6Wh)
Lithium-Iron Phosphate
12.8V 20.4Ah (261.12Wh)

TIME PROFILE			
WATTAGE	TIME DURATION OF 12 HRS	MOTION DETECTION	
		YES	NO
25W & 30W	2hrs	100%	50%
	2hrs	50%	30%
	6hrs	20%	10%
	2hrs	50%	30%

Note: Solar LED performance and autonomy depend on installation site and sunlight. Insufficient sunlight may reduce charging efficiency and operating time

MEASUREMENT & ORDER CODE









LUMEN	ORDER CODE	WATTAGE	SOLAR PANEL CAPACITY	LITHIUM-ION	NETT WEIGHT
5000	500525	25W	18V 40W	12.8V 17Ah	13.085 kg
6000	500530	30W	18V 40W	12.8V 20.4Ah	13.085 kg
17000	5005100	100W	-	-	13.085 kg



DIMENSION


5005 GARDEN LIGHT
(SOLAR SERIES)

5005 GARDEN LIGHT
(AC SERIES)



PHOTOMETRIC

5005 GARDEN LIGHT



cd/klm
C0/C180: — C90/C270: —

Note: All specifications are subject to change without prior notice for product improvement. Images are for illustrative purposes only.